

GOL'DBERG, G.A.

Some difficulties in the treatment of thyrotoxicoses with radioactive iodine. Probl.endok.i gorn. 7 no.2:72-74, '61. (MIRA 14:5)

(HYPERTHYROIDISM) (IODINE--ISOTOPES)

GOL'DBERG, G.A., dotsent; MOTOVILOVA, L.P.

Anaphylactic shock in penicillin therapy. Sov. med. 25 no.7:125-126  
Jl '61. (MIRA 15:1)

1. Iz 1-y (zav. - prof. G.M.Shershevskiy) i 2-y (zav. - dotsent  
G.A. Gol'dberg) terapevticheskikh kafedr Stalinskogo instituta  
usovershenstvovaniya vrachey.  
(PENICILLIN\_\_TOXICOLOGY) (ANAPHYLAXIS)

BOROZDINA, V.A., zaslushennyy vrach RSFSR; GOL'DBERG, G.A., dotsent;  
FEDOROVA, V.A., kand.med.nauk

Treatment of the Guillain-Barre syndrome with prednisone.  
Pediatrics no.10:77-79 '61. (MIRA 14:9)

1. In S-y infektsionnoy bol'nitsy (glavnyy vrach V.A. Borozdina),  
kafedry terapii No.2 (i.o. zav. G.A. Gol'dberg), kafedry nervnykh  
bolezney (zav. - prof. I.I. Kartsovnik) Stalinskogo instituta us-  
vershenstvovaniya vrachev (dir. - dotsent G.L. Starkov).  
(NEURITIS, MULTIPLE) (PREGNADIENETRIONE)

GOL'DBERG, G.A.; KAN'SHINA, N.F.; NIKITIN, Yu.P.

Necrotic *granulomatosis* combined with disseminated vasculitis  
(Wegener's syndrome). Sov.med. 26 no.12:84-91 D '62.

(MIRA 16:2)

1. Iz 1-y kafedry terapii (zav. - prof. G.M. Shershevskiy),  
2-y kafedry terapii (zav. - dotsent G.A. Gol'dberg) i kursa  
patologicheskoy anatcmii Novokuznetskogo instituta usovershenst-  
vovaniya vrachey.

(NOSE--DISEASES) (RESPIRATORY ORGANS--DISEASES)

GOL'DBERG, G.A., document

Influence of occupational physical strain and other factors  
on the blood cholesterol and lipoprotein levels. Kardiolo-  
giia 3 no.3:62-68 My-Je'63. (MEDA 16:9)

1. Iz 2-y terapevticheskoy kafedry (sav. - dotsent G.A.  
Gol'dberg) Nevokuznetskogo instituta usovershenstvovaniya  
vrachev.

(CHOLESTEROL)            (LIPOPROTEINS)  
(STRESS (PHYSIOLOGY))

GOL'DBERG, G.A.

Sound distortion caused by the slot of magnetic recorders.  
Trudy Kon. po akust. no.5:37-47 '50 (MLBA 7:7)  
(Magnetic recorders and recording)

613)

PHASE I BOOK EXPIRATION

SEP/1930

Moscow. Vsesoyuzny nauchno-issledovatel'skiy institut zvukozapisi. Izv. Vsesoyuznogo nauchno-issledovatel'skogo instituta zvukozapisi. Seriya: Vop. 2. (Transactions of the All-Union Sound-Recording Scientific Institute) Nr. 2. Moscow, 1957. 104 p. Kireva slip inserted. 1,000 copies printed.

Editorial board: L. P. Apollonov, V. V. Yampura, D. P. Vasilievskiy, A. A. Vrublevskiy, S. A. Gribkov, L. O. Gribkov, B. Ya. Kuznetsov, V. I. Kuznetsov, L. A. Puzos, Ya. I. Rogozin, M. A. Kuznetsov, Tech. Ed.: S. A. Gribkov.

Remark: This collection of articles may be useful to scientists, engineers, specialists, and technicians dealing with sound-recording techniques.

COVERAGE: The articles are the results of research carried out at VNAIZ in 1954-1955. Most of the articles deal with magnetic recording, both for the recording of sound as well as for filling various physical processes on tape, wire, disc, or drum. References appear separately after each article.

Kalishersteyn, L. G. Magnetic disc

Research and development of magnetic disc recording developed by VNAIZ, this on magnetic disc. The author discusses in detail the production of magnetic discs. She thanks Candidate of Technical Sciences P. M. Kozlov and Senior Scientific Worker N. A. Titkova for their assistance. There are 14 references: 8 English, 3 German, 1 Polish, 1 Indian, and 1 Soviet.

Shimov, V. I. The MD-54 disc-type discophone

The article briefly describes the MD-54 discophone (VNAIZ), used for sound recording on magnetic discs. The author lists the basic technical characteristics of this equipment. There are no references.

Salimov, V. A. A Contact Copying Machine for Mass-copy MTR-1 Magnetic Tape Recorder

This magnetic tape-copying machine was developed by VNAIZ, and after a long period of production it was redesigned and modernized to secure a mass production of high-quality magnetic tape copies. There are no references.

Gol'dberg, G. A., and S. V. Shil'Vein. Magnetic Reproduction Chamber

The authors explain the basic methods of obtaining the magnetic reproduction of sound on magnetic tape recording. They list the main characteristics of the reproduction system designed and developed by VNAIZ, which is now successfully being employed in many organizations. At present the institute is developing a new model of a remote-controlled magnetic reproduction for lot production. There are 28 references: 12 English, 8 Soviet, 3 German, 2 French, and 1 Hungarian.

Langer, A. M., and M. A. Ostapovich. Investigation of External Electromagnetic Stray Fields Caused by Electric Motors in Sound Recording Equipment

The authors discuss special problems of design, selection, and application of electric motors of various types for sound recording equipment. They investigate the methods of determining the level of a magnetic field and electrostatic stray fields. Matters concerning the effects of electrostatic electromagnetic stray fields will be published later. There are 4 Soviet references.

93

90

87

79

122

24(1)

PHASE I BOOK EXPLOITATION 837/1627

Vsesoyuznaya akusticheskaya konferentsiya. 4th, Moscow, 1958

Referaty dokladov (Abstracts of Reports at the Fourth All-Union Acoustical Conference) Pt. 2. Moscow, Akad. nauk SSSR, 1958. 44 p. Number of copies printed not given.

Sponsoring Agency: Akademiya nauk SSSR.

Rep. Ed.: L.M. Brekhezhikh, Corresponding Member, USSR Academy of Sciences.

PURPOSE: These abstracts are intended for scientists and engineers interested in acoustics.

COVERAGE: This is a mimeographed collection of brief abstracts of papers presented at the Fourth All-Union Acoustical Conference. The subjects covered are propagation of sound in inhomogeneous media, nonlinear acoustics, ultrasonics, acoustic measurements, electroacoustics and architectural and structural acoustics.

TABLE OF CONTENTS:

Card 1/9

Mayer, E., and G. Kutzoff. Model Tests of a Reverberation Chamber	40
Nies, Ch. German Democratic Republic. Perception of the loudness of Noise with Low Frequency	41
Tich'y, J., Czechoslovakia. Noises at Electric Plants and the Extent to Which They Can Be Suppressed	42
Pazano(c, E., E. Grzesik, A. Lempiowski, and I. Porvik, Poland. Comparison of Curves of Loudness Ratings	42
Steinbach, [sic], German Democratic Republic. Visualization of Speech With the Aid of the "Frames" of Magnetic Tape Recordings	43
Permyakov, V.V., and G.A. Gol'dberg. Methods of Creating Artificial Reverberation. (Survey)	44

AVAILABLE: Library of Congress (QC 221.F85)

Card 9/9

IS/ral  
6-17-59



MEMORANDUM FOR THE DIRECTOR

Re: Interference in the Systems with Delay in the Field.

The following information was obtained from the field office on 10/1/67, and is being furnished for your information.

STIMULANT, P. A.

"The following information was obtained from a confidential source who has provided reliable information in the past."

For information, the following information was obtained from a confidential source who has provided reliable information in the past.

GOL'DBERG, G.A.

"Trudy" of the All-Union Research Institute of Cinematography and  
Photography, no.4, 1957; acoustics. Zhur. nauch. i prikl. fot. i  
kin. 3 no.2:156-157 Nr-Ap '58. (MIRA 11:5)  
(Architectural acoustics)

1. Following are titles and authors of some of the papers to be presented at subject Congress:

USSR

ASAFITZ, A. A., Acoustics Institute, USSR Academy of Sciences, Moscow - "Mathematical models of sound radiation from the sea."

ANDRIY, E. B., Acoustics Institute, USSR Academy of Sciences, Moscow - "Some questions of non-linear acoustics."

BALIAN, S. A., and GEDENKIN, B. B., Laboratory for Molecular Acoustics, Moscow Oblast Institute for Pedagogics - "Sound propagation in a liquid mixture, the components of which form a solid solution."

CHERNOV, L. S., Pavlov Institute of Physiology, USSR Academy of Sciences, Leningrad - "Natural meaning of silence following in rapid succession and their loudness discrimination."

CHERNOMIR, G. I., Pavlov Institute of Physiology, USSR Academy of Sciences, Leningrad - "On the regulation of the intensity of sound perception by the intensity of the sound source."

CHERNOMIR, G. I., Acoustics Institute, USSR Academy of Sciences, Moscow - "On the statistical representation theory."

CHERNOMIR, G. I., Acoustics Institute, USSR Academy of Sciences, Moscow - "Study of magnetically sound wave transducers from ferrites."

CHERNOMIR, G. I., Institute of Physics of the Atmosphere, USSR Academy of Sciences, Moscow - "Acoustic wave transducer for labor protection, Leningrad - "Study of the spectral characteristics of noise measurement devices and problems of standardizing them."

KALITZER, M. A., Institute of Physics of the Atmosphere, USSR Academy of Sciences, Moscow - "Experimental investigation of sound waves in the atmosphere."

KALITZER, M. A., Institute of Physics of the Atmosphere, USSR Academy of Sciences, Moscow - "Some questions of non-linear acoustics in liquids."

KALITZER, M. A., Laboratory for Molecular Acoustics, Moscow Oblast Institute for Pedagogics - "Sound dispersion in liquids."

Excerpts from the Program and Information Circular, Reports to be submitted for the Third Int. Congress on Acoustics, USSR, Leningrad, 1-5 May 1977.

GOLDBERG, G. A.

"A new method for investigation of diffusion in rooms"

report submitted for the 4th Intl. Congress of Acoustics,  
Copenhagen, Denmark, 21-28 Aug 1962.

GOL'DBERG, G.; ZUBAREV, A.

Electrical equipment for the ZIL-130 motor vehicle. Avt.transp.  
41 no.2:44-47 F '63. (MIRA 16:2)  
(Motor vehicles—Electric equipment)

GOL'DBERG, G., inzh.; ROMANOV, A., inzh.

Mastics for gluing floor-covering materials. Na stroi. Ros. 3  
no.4:23-29 Ap '62. (MIRA 15:9)  
(Cement, Adhesive) (Floor coverings)

GOL'DBERG, G.D.; KRASNOSLOBODTSEVA, L.M.; AFONASOVA, S.I.

Diameter of erythrocytes in normal persons. Probl.gemat.i perel.  
krovi 4 no.12:76-80 D '50. (MIRA 13:4)

1. Iz katedry patofiziologii (zaveduyushchiy - prof. D.I. Gol'd-  
berg) Tomskogo meditsinskogo instituta.  
(ERYTHROCYTES)



GOLDBERG, G.D.

Relations between microcytes, normocytes and macrocytes in the blood of healthy subjects and the classification of anemia according to the median diameter of the erythrocytes. Lab. del. 2 no.10:8-11'62 (MIRA 17:4)

1. Katedra patofiziologii (prof. E. D. Goldberg) Tomskogo meditsinskogo instituta.

GOL'DBERG, G.I.

Probabilities for transitions of members of the principal  
series of rubidium. Izv.GAO 20 no.3:126-137 '56.

(MIRA 13:5)

(Rubidium--Spectra)

BOYU, Anatoliy Borisovich.; MENDILEVICH, Yakov Ayzikovich.; SINGHOV,  
Lev Antonovich.; SHITOV, B.I., nauchnezat.; GOLDBERG, G.I., red.;  
NAKHIMSON, V.A., red. izd-va.; EL'KIND, V.D., tekhn. red.

[Controlling radio interference due to automobiles, motorcycles,  
and tractors] Podavlenie radiovnekh, sozdavaemykh avtomobilami,  
mototsiklami i trektorami. Moskva, Gos. nauchno-tekhn. izd-vo  
 Mashinostroit. lit-ry, 1958. 94 p. (MIRA 11:8)  
(Radio--Interference)

ARMAND, G.B.; VYAZ'MIN, V.A.; GRINSHTEYN, L.M.; GOL'DBERG, G.I.; GOLUBEV, B.S.; KASHLAKOV, M.V.; KRASHOPEVTSEV, M.P.; KUZNETSOV, S.I.; KURAYEV, A.V.; KAYUKOV, G.I.; MASHATIN, V.I.; MOLOTOLOV, V.I.; NERUSH, A.R.; PRAL', G.I.; RAGUSKAYA, L.F.; RUBINSHTEYN, S.M.; SEMENKOV, P.L.; TARASOV, L.A.; FEDOROVA, A.A.; TSEPKIN, M.F.; SHAYEVICH, A.G.; ZARUBIN, A.G., otv.red.; VASIL'YEVA, I.A., red. izd-va; SOKOLOVA, T.F., tekhn.red.

[ZIL-157 motortruck; operation and service] Avtomobil' ZIL-157; instruktsiia po ekspluatatsii. Gos.nauchno-tekhn.izd-vo mashinostroitel'stva, 1958. 235 p. (MIRA 11:12)

1. Moskovskiy avtomobil'nyy zavod.  
(Motortrucks)

GALKIN, Yuriy Mikhaylovich; MASTYAYEV, N.Z., kand.tekhn.nauk, retsenzent;  
BOROVSKIY, Yu.I., kand.tekhn.nauk, retsenzent; GOL'DBERG, G.I.,  
inzh., red.; FAL'KO, O.S., red.izd-va; EL'KIND, V.D., tekhn.red.

[Electric equipment of automobiles and tractors] Elektrooborudovanie  
avtomobilei i traktorov. Moskva, Gos.nauchno-tekh.izd-vo mashino-  
stroit.lit-ry, 1960. 275 p. (MIRA 13:11)

1. Kafedra "Elektrooborudovaniye samoletov i avtomobiley" Moskovskogo  
energeticheskogo instituta (for Mastayayev). 2. Moskovskiy avtomob-  
khanicheskiy institut (for Borovskikh).  
(Automobiles--Electric equipment)  
(Tractors--Electric equipment)

МАШИНОСТРОИТЕЛЬНЫЙ ЗАВОД, г. Тбилиси, Грузия; Лавров, Георгий Леопольдович;  
1907-1977, род. в Тбилиси, Грузия.

[Грузинско-русский словарь и словарь-справочник]  
Грузинско-русский словарь-справочник. Москва, Со-  
ветская Энциклопедия, 1977. 2-е изд. (Мир 18:10)

SVESHNIKOV, G.N.; GOL'DBERG, G.M., kand. tekhn. nauk; SHAKHIDZHANOVA, V.I.,  
starshiy prepodavatel'; SHAPALOVICH, A.P., red.; CHISTYAKOVA,  
K.P., tekhn. red.

[Geometrial statics; lecture abstract] Geometricheskaya  
statika; konspekt lektsii. Sost. G.M. Gol'dberg i V.I. Shakhidzhanova.  
Moskva, Mosk. aviatsionnyi in-t in. Sergo Ordzhonikidze, 1959.  
78 p. (MIRA 14:4)

(Statics)

GOL'DBERG, Galina Mitrofanovna; ERMOLVALOV, Vadim Fedorovich;  
KUZ'MINOV, A.I., red.; BUL'DYAYEV, K.A., tekhn.red.

[Reception of stereophonic radio broadcasts] Priem stereo-  
fonicheskikh radioperedach. Moskva, Gosenergoizdat, 1963.  
23 p. (Moskvaia radiobiblioteka, no.487) (NIA 17:1)



LAZAR, Arlen; P.M., Rudolf; GOLDBERG, G.M. [transl.];  
REIS, J. [transl.], inzh., retsenzant; TIT, P.,  
retsenzant; YAMAKOV, S.A., red.

[Fluoroplasts. Translated from the Slovak Fluoroplasty.  
Bratislava, Energiia, 1965. 303 p. (MIRA 1965)]

CA GOLDBERG, G. S.

Mechanism of action of fluorine on the hard tooth tissues. G. S. Goldberg (Med. Stomatol. Inst., Leningrad) *Stomatologiya* 1950, No. 3, 10-18. —Of all halides, NaF is most readily absorbed by tooth tissues. NaI is next, and NaCl is least absorbed. Leaching out is slowest with NaF, NaCl, NaBr, or NaI is leached out within 2-3 days. The unextractable F cannot be detected by FeCl<sub>3</sub>; this indicates an unknown transformation of NaF. Teeth pretreated with NaF still can absorb some NaF, but this is readily leached out. Tooth enamel has low NaF retentivity; dentine shows the strongest retention, apparently by a chem. reaction. G. M. Kosolapoff

USSR/Chemistry

Card 1/1

Author : Gol'dberg, G. S.

Title : Fractional reaction for discovery of cobalt

Periodical : Zhur. Anal. Khim, 9, Ed. 1, 56-57, Jan-Febr. 1954

Abstract : A new fractional reaction for discovery of cobalt based on the formation by the cobalt of colored compounds with thiourea is described. Three methods are given for the realization of the reaction for the discovery of cobalt in solid substances and solutions. The degree of selectivity and sensitivity of the reaction was positively defined. The experimental part in discovering cobalt with thiourea is described in detail. Five references.

Institution : The Medical Stomatological Institute, Leningrad

Submitted : July 21, 1952

APPROVED FOR RELEASE: Thursday, September 26, 2002

CIA-RDP86-00513R000515620002-0  
CIA-RDP86-00513R000515620002-0

GOLDBERG, G.S.

USSR.

Selective test for cobalt. G. S. Goldberg, J. Anal.  
Chem. U.S.S.R. 9, 63-6 (1964) (English translation).—See  
C.A. 48, 6905c. H. L. H.

L 23475-66 EWT(m)

ACC NR: AF6013979

SOURCE CODE: UR/C228/65/C00/002/0005/0007

AUTHOR: Kiselev, D. P. (Chief designer); Solodukhin, I. A. (Chief engineer);  
Mironov, A. A. (Chief); Gol'dberg, G. S. (Chief engineer)

ORG: [Kiselev] Lightweight Concrete Department, Bureau of Installation, NIIZHB  
(Sektor legkikh betonov Byuro vnedreniya NIIZHB); [Solodukhin] Bureau of Installation,  
NIIZHB (Byuro vnedreniya NIIZHB); [Mironov] Department of Economic Research, NIIZHB  
(Otdel ekonomicheskikh issledovaniy NIIZHB)

TITLE: Industrial manufacture of protective structures made of air-entrained concrete

SOURCE: Stroitel'nyye materialy, no. 2, 1965, 5-7

TOPIC TAGS: reinforced concrete, concrete, heat insulation, centrifugal pump

ABSTRACT: The article describes the efforts made by the Scientific Research Institute of Reinforced Concrete and other agencies to make practical use of steam-cured, porous-clay, air-entrained concrete as heat insulation panels for building faces, roofs, etc. Most local clays expand insufficiently under heat and therefore form a rather heavy aggregate, 500 to 700 kg/m<sup>3</sup>, yielding concrete weighing 1200 to 1400 kg/m<sup>3</sup>, which is 300 to 400 kg too heavy for standard structures.

The Institute has developed a lightweight insulating material using expanded clay aggregate and foam, but no sand. This material has been extensively reported in the literature. Such light-weight concrete can be rather easily prepared, using standard centrifugal pumps to produce the foam.

Card 1/2

UDC: 666.973.2-411

L 23475-66

ACC NR: AP6013979

Initially, bearing wall panels were successfully made by this technique and used for six five-story buildings. Panel thickness in another case was decreased by 20% and weight by 30%. Since then, 12 five-story apartment houses of 30 units each have been built with such precast concrete panels.

The somewhat greater use of cement is repaid several times by the savings in aggregate and sand. Monolithic panels are used instead of double-layered structures. Savings and costs are discussed, and several building agencies switching to the new panels are mentioned. [JPRS]

SUB CODE: 13 / SUBM DATE: none

NOVIKOV, V.; GOL'BERG, I., instruktor

What do the QSL cards tell... Radio no.11:21-22 H '58.  
(MIRA 11:12)

1. Starshiy instruktor Tsentral'nogo radiokluba Dobrovol'nogo obshchestva  
sodeystviya armii, aviatsii i flotu SSSR (for Novikov).  
(Radio, Shortwave)





BELEN'KIY, E.M.; GOL'DBERG, I.A.

Efficient methods of transporting refractory materials.  
Ogneupory 28 no.4:183-186 '63. (MIRA 16:6)

1. Vsesoyuznyy institut ogneuporov.  
(Refractory materials--Transportation)  
(United cargo systems)

ALL INFORMATION CONTAINED HEREIN IS UNCLASSIFIED

EXCEPT WHERE SHOWN OTHERWISE BY THE FOLLOWING OF THE DATE OF DECLASSIFICATION  
BY THE NATIONAL ARCHIVES AND RECORDS ADMINISTRATION (NARS) (2000 174)

DATE OF DECLASSIFICATION: 09/26/2002

MOSHNYAGA, T.V.; GOL'DBERG, I.D.

Status of and measures for improving individual forms of specialized medical care in the Moldavian S.S.R. Zdravookhranenie 4 no. 2:8-13 My-Ap '61. (MIRA 14:4)

1. Glavnyy vrach Respublikanskoy klinicheskoy bol'nitsy (for Moshnyaga). 2. Zaveduyushchiy organizatsionno-metodicheskim otdelom Respublikanskoy klinicheskoy bol'nitsy.  
(MOLDAVIA--MEDICAL CARE)

GOL'DBERG, I.D.

Cardiovascular diseases among the population of Kishinev and their characteristics according to age and sex. Zdravookhraneni 4 no.5: 11-15 S-O '61. (MIRA 14:11)

1. ~~Is~~ Respublikanskoy klinicheskoy bol'nitsy (glavnyy vrach T.V. Moslunyga).

(KISHINEV--CARDIOVASCULAR SYSTEM--DISEASES)

GOLDMAN, I. Ya.; GOL'DBERG, I. D.

Statistics on the longevity of the inhabitants of the Moldavian  
S.S.R. Zdravookhranenie 4, no.4:28-34 J1-Ag '61. (R11A 14:11)

1. Iz kafedry organizatsii zdravookhraneniya i is'orii meditsiny  
(zav. - zasluzhennyy vrach Moldavskoy S.S.R. dotsent K.Ya.Goldman)  
Kishinevskogo meditsinskogo instituta i Respublikanskoy  
klinicheskoy bol'nitsy (glavnyy vrach T.V.Koshnyaga).  
(MOLDAVIA--LONGEVITY--STATISTICS)

GOL'DBERG, I. D.

Diseases of the thyroid gland in Kishinev and their characteristics in relation to sex and age groups. Zdravookhranenie 5 no.2: 13-15 Mr.-Ap '62. (MIFA 15:7)

1. Iz Respublikanskoy klinicheskoy bol'nitsy (glavnyy vrach T. V. Moshnyaga), Moldavskaya SSR.

(KISHINEV--THYROID GLAND--DISEASES)

KOROVINA, T. V., dotsent; GOL'DBERG, I. D.

Third Republic Conference of Theraputists of the Moldavian  
S.S.R. Zâravookhranie 5 no.2:63-64 Mr-Ap '62.  
(MIRA 15:7)

(ENDOCRINE GLANDS--DISEASES)  
(THERAPEUTICS--CONGRESSES)

SIMANOVSKIY, B.Ye.; ZUBATKIN, G.Ye.; GOL'DBERG, I.I.

Organizing production and operations planning at the construction  
of an iron foundry. Prom. stroi. 40 no.8:10-13 Ag '63.  
(MIRA 16:8)

(Iron foundry)





GOL'DBERG, I.M.; EL'MAN, V.B.

Automatic centerless grinding machine for precision machining of  
parts. Biul.tekh.-ekon.inform.Gos.nauch.-issl.inst.nauch.i tekhn.  
inform. no.12:48-51 '63. (MIRA 17:3)

BUZIN, D.P., inzh.; BENENSON, Ye.I., inzh.; GOL'DBERG, I.I., inzh.; MAYORSKIY,  
Ye.V., inzh.; TROYANOVSKIY, B.M., kand. tekhn. nauk, dotsent

Experience in designing the terminal stage of a large steam turbine.  
Energomashinostroenie 10 no.8:1-3 Ag '64. (MIRA 17:11)

MILLER, A.V., (Voronezh); BURTSEVA, Z.I., (Voronezh); GOLDBERG, I.M., professor, zaveduyushchiy.

Role of the neural mechanism in the treatment of traumatic and hemorrhagic shocks. Arkh.pat. 15 no.2:34-38 Mr-Apr '53. (MLRA 6:5)

1. Kafedra patologicheskoy fiziologii Voronezhskogo meditsinskogo instituta.  
(Shock)

USSR/General Problems of Pathology - Shock

U.

Abstract : Ref. 1. - B. G. N. 1991, 1991

Author : G. G. N. I.M.

Inst : V. N. Med. Medicine Institute

Title : Problems of Pathogenesis and Therapy of Shock

Orig. Pub : Tr. V. N. Med. Inst. 1991, 1991, 1991

Abstract : No abstract.

Card 1/1

GOL'DBERG, I.M.

Ability to exercise tactile sensitivity. Vop. psikh. 9 no.1:35-40  
Ja-F '63. (MIRA 16:4)

1. Pervaya gorodskaya bol'nitsa, Nizhniy Tagil.  
(Touch)

ACC NR: AP7002610 (A, V) SOURCE CODE: UR/0413/66/000/023/0117/0117

INVENTOR: Korobkov, A.V.; Gol'dberg, I.M

ORG: none

TITLE: Method of thermochemical treatment of molybdenum and molybdenum-alloy articles. Class 48, No. 189277

SOURCE: Izobreteniya, promyshlennyye obraztsy, tovarnyye znaki, no. 23, 1966, 117

TOPIC TAGS: molybdenum thermochemical treatment, molybdenum alloy thermochemical treatment, metal thermochemical treatment, molybdenum, molybdenum alloy, thermochemistry

ABSTRACT: This Author Certificate introduces a method for thermochemical treatment of molybdenum and molybdenum-alloy articles which includes paste carburizing. To increase hardness and oxidation resistance, the articles are subjected to carbosiliconizing, coated with carburizing paste, packed in ground annealed silicon, and held at 1100—1300C for 5—20 hr. In a variant, the ground silicon is annealed at 1150C for 8—10 hr. [WA-88]

[DV]

SUB CODE: 13, 11/ SUBM DATE: 26Oct64/ ATD PRESS: 5114

Card 1/1

UDC: 621.793.6:669.28

GOL'DBERG, I.S.

Relationship between the Southern-Varzob intrusion of biotite  
porphyritic granites and the hypabyssal intrusion complex of the  
Varzob and Bolo River basins. Dokl. AN Tadzh. SSR no. 22:9-12  
'57. (MIRA 11:7)

1. Tadzhikskoye geologicheskoye upravleniye. Predstavleno chlenom-  
korrespondentom AN Tadzhikskoy SSR R.B. Baratovym.  
(Tajikistan--Geology, Structural)



GOL'DBERG, I.S.

Chemism of the process of wall-rock lightening during ore deposition. Dokl.AN SSSR 133 no.3:665-668 J1 '60.  
(MIRA 13:7)

(Metamorphism(Geology)) (Iron)

GOL'DBERG, I.S.

Correlation of the hypabyssal intrusive complex in basins of the  
Takob and Varzob-Bolo Rivers. Izv. Otd. geol.-khim. i tekhn. nauk  
AN Tadzh. SSR no.2:87-95 '61. (MIRA 15:1)

1. Upravleniye geologii i otkhrany neдр pri Sovete Ministrov Tadzhikskoy  
SSR i Institut geologii AN Tadzhikskoy SSR.  
(Takob Valley--Rocks, Igneous)  
(Varzob-Bolo Valley--Rocks, Igneous)

GOL'DBERG, I.S.

Bitumen occurrences and their distribution features in the  
northern part of the Tunguska syncline. Trudy VIGRI no.186:  
128-142 '61. (MIRA 15:3)  
(Yenisey Valley--Bitumen)

GOL'DBERG, I.S.; MURCH, G.R.

History of the development of the structure of Turukhan  
District. Trudy VNIGRI no.220. Geol. sbor. no.8:166-184  
'63. (RIRA 17:3)

ZENIN, B.A.; GOL'DBERG, I.S. (Kuybyshev)

Fluorescence studies on the urine. Klin. med. 41. no. 7:36-40  
Jl'63 (MIRA 16:12)

1. Iz kafedry kozhnykh i venericheskikh bolezney (zav. - prof.  
A.S.Zenin) Kuybyshevskogo meditsinskogo instituta.



GOL'DBERG, I.V., inzhener; SIKORS IY, V.I., inzhener.

Supplying alternating current to switching circuits of  
solenoid actuating mechanisms for breakers by application  
of semiconductors. Energetik 5 no.1:4-6 Ja '57. (MLRA 10:2)

(Electric circuit breakers)

(Electric current rectifiers)

AUTHOR: Gol'dberg, I.V., Engineer 197-21-56-9-19/29

TITLE: Checking Contact Connections with a Semi-conductor Thermal resistance (Kontrol' kontaktnykh soyedineniy poluprovodnikovym termosoprotivleniyem)

ISSN: 197-21-56-9-19/29

ABSTRACT: The efficiency of contact connections in transformer substations may be checked by taking the temperature of the contact under load. The device described for this purpose consists of a semi-conductor thermal resistance coupled to a milliammeter indicating instrument and fed from a galvanic battery. A potentiometer is included for compensating any change in the internal resistance of the battery. The scale of the milliammeter is re-graduated in degrees centigrade (0-120°C). This is the maximum permissible temperature for the thermal resistance used (WNT-1, 1 kohm) since the stability of its characteristics is disturbed above this temperature.

Card 1/2



17-91-58-9-19/29

### Checking Contact Connections with a Semi-conductor Thermo-resistance

erature. Other thermal pick-ups which can be used, and which can operate at higher temperatures, are listed. Constructional details are given. There is 1 circuit diagram and 1 photo.

1. Connectors (Electric)--Testing equipment 3. Connectors (Electric)  
--Test methods 3. Connectors (Electric)--Temperature factors

Card 3/3

2(6), 2(7)

AUTHOR: Tolstoy, I. V., Engineer

TITLE: Remote Controls at Plant Substations

PERIODICAL: Energiya, 1980, Nr 2, pp 30-32

ABSTRACT: The author describes a remote control and signalization system for the operation of two substations which was developed and introduced at his plant (no identification given). At the author's plant there are two unattended power substations located at a distance of 1 km from each other and from the control room. The work of the personnel on duty in the control room was made difficult or impossible by missing information on changes in the high-voltage circuits of the substations. To eliminate this disadvantage, a remote control and signalization system was developed, indicating the position of high-voltage circuit breakers and their load current. Further, this system provided the remote control of circuit breakers. These controls circuits may be used also at other

Card 1/5

SECRET

## Remote Controls at Plant Substations

sites where two switch positions must be controlled. This system is based on the distribution principle. Step-by-step selectors of type 7H1-11 were converted for operation in 3<sup>rd</sup> positions with one commutator bar. Pulses for the motion of the step-by-step selectors are separated from measuring and signalization pulses by different polarity. Measuring pulses are separated from signalization pulses by different amplitudes. The telemetering system transducers work on the inductivity principle. Two telephone wires are successively thru the substations establish a connection to the control room. For each site to be controlled, ten ordinary RVN relays, five RVN relays and one RVN relay are used, while six 7H1-11 step-by-step switches are used for both substations. In the control room, the remote control and signalization system is arranged in the form of mnemonic diagrams. The position of the commutator indicates the state of the circuit breakers. A blinker light indicates that

Card 2/5

SECRET

## Remote Controls at Plant Substations

the switch position does not correspond to the circuit breaker position. Telerateing is performed by pressing the corresponding button on the mnemonic diagram. Measuring instrument MVV, 150 microamps is used. The dimensions of the remote control and signalization equipment are 400 x 700 x 200 mm for the control room unit and 150 x 100 x 50 mm at the substations. The advantages of this system are its simplicity and the small number of relays. A disadvantage is that the line does not carry a voltage at all times, thus a continuous control is impossible. Practical experience shows that such a control is not required. The author explains the functioning of this control system in detail using the circuit diagram in Figure 1. The transducers are miniature transformers whose primary windings are connected to the measuring circuits of current transformers. The measuring error does not exceed 3% at the author's plant, it can necessary

Card 3/5

## Remote Controls at Plant Substations

to control a small number of power lines departing from unattended substations, located at a distance of 1 km from the control room, which did not have a direct operational voltage. The control was achieved by multi-line remote control circuits, as shown in Figure 1. Two V-101 relays for 110 volts and a 10 position indicator without an additional resistor were used. The opening and closing of circuit breakers, the signalization of the state of the oil-filled circuit breakers and the voltage control of the substation lines were achieved by using two telephone wires. The circuits were separated by polarity and amplitude characteristics. The line is constantly under control. Any damage to the line will not cause false operation. The circuit breaker drives are operated by rectifiers. The reliability of this remote control system was proved during one year of operation. Finally, the author states that plant employees have the possibility to develop remote control and telemetering systems of comparatively simple designs which are suitable for individual sites of industrial installations. There are

Card 4/5

Remote Controls at Plant Substations

2 circuit diagrams

Card 5/5

1. The first part of the document is a list of names and titles of the members of the committee. The names are listed in alphabetical order. The titles are listed in the order in which they appear in the document.

2. The second part of the document is a list of the names of the members of the committee who have been appointed to the various subcommittees. The names are listed in alphabetical order. The subcommittees are listed in the order in which they appear in the document.

3. The third part of the document is a list of the names of the members of the committee who have been appointed to the various subcommittees. The names are listed in alphabetical order. The subcommittees are listed in the order in which they appear in the document.

4. The fourth part of the document is a list of the names of the members of the committee who have been appointed to the various subcommittees. The names are listed in alphabetical order. The subcommittees are listed in the order in which they appear in the document.

5. The fifth part of the document is a list of the names of the members of the committee who have been appointed to the various subcommittees. The names are listed in alphabetical order. The subcommittees are listed in the order in which they appear in the document.

6. The sixth part of the document is a list of the names of the members of the committee who have been appointed to the various subcommittees. The names are listed in alphabetical order. The subcommittees are listed in the order in which they appear in the document.

7. The seventh part of the document is a list of the names of the members of the committee who have been appointed to the various subcommittees. The names are listed in alphabetical order. The subcommittees are listed in the order in which they appear in the document.

8. The eighth part of the document is a list of the names of the members of the committee who have been appointed to the various subcommittees. The names are listed in alphabetical order. The subcommittees are listed in the order in which they appear in the document.

9. The ninth part of the document is a list of the names of the members of the committee who have been appointed to the various subcommittees. The names are listed in alphabetical order. The subcommittees are listed in the order in which they appear in the document.

10. The tenth part of the document is a list of the names of the members of the committee who have been appointed to the various subcommittees. The names are listed in alphabetical order. The subcommittees are listed in the order in which they appear in the document.

1. The first of the two main parts of the report is a description of the current state of the world, and the second part is a description of the future state of the world. The first part is a description of the current state of the world, and the second part is a description of the future state of the world.



GOL'DBERG, I.Yu.

Press fitting of large bushings by means of refrigeration in  
liquid nitrogen. Mashinostroitel' no.10:37 0 '12. (MIR 14:9)  
(Machine-shop practice)

BOLDBERG, I.Yu.

Engraving device. Mashinostroitel' no.7:23 J1 '63. (MIRA 16:9)  
(Engraving machines)

GOLDBERG, I.Yu.

Machining fine faceted parts on lathes. Mashinostroitel'  
no.12:24 D '63. (MIRA 17:1)

GOLITSERG, S.

Češćenje magnetske deklinacije u jugoslovenskom području Jadranskog mora u lipnju 1949. Godišnjak, Jugoslavenska akademija znanosti i umjetnosti, 1950. 31. 32. (Jugoslavenska akademija znanosti i umjetnosti. Glasnik matematičke, fizičke i tehničke nauke. Zagreb, sv. 1., br. 1.) (Measurement of the magnetic declination in the Yugoslav area of the Adriatic Sea in the year 1949. English summary. illus., map, bibl., tables)

JC: East European Accessions List, Vol 3, no. 1, Aug 1954

GOLDBERG, J.

Yugoslavia (430)

Science - Periodicals

Stjepan Skreb, July 13, 1879-August 14, 1952.  
p. 187. Hrvatsko prirodoslovno drustvo.  
GLASNIK MATEMATICO-FIZICKI I ASTRONOMSKI.  
Zagreb. (Five no. a year; bulletin on mathematics, physics, and astronomy issued by the Croatian Society of Natural Sciences. French, English or German summaries). Serija II, Vol. 7, No. 3, 1952.

East European Accessions List, Library of Congress  
Vol. 2, No. 6, June 1953. Unclassified

GOLDBERG, Josip

O recentnim fluktuacijama naše klime. Zagreb, Jugoslavenska akademija  
znanosti i umjetnosti, 1954. 27 p. (Predavanja održana u Jugoslavenskoj  
akademiji, sv. 12) (Recent fluctuations of our climate. maps, bibl.,  
graphs)

SOURCE: East European Accessions List, (EEAL, Library of Congress,  
Vol. 4, No. 12, December 1955)

GOLDBERG, J.N.; SACHS, R.K.

A theorem on Petrov types. Acta physica Pol 22:Suppl.:13-23  
'62.

1. Department of Mathematics, King's College, University of  
London, London, England.

L 02227-67 EWI(1)

ACC NR: AR6013674

SOURCE CODE: UR/0058/65/000/010/E073/E073

AUTHOR: Sabirzyanov, A. V.; Gol'dberg, Kh. I.TITLE: Influence of impurities on the electric properties of  $\beta$ -loeboite .60  
8

SOURCE: Ref. zh. Fizika, Abs. 10E586

REF. SOURCE: Tr. Ural'skogo politekhn. in-ta, sb. 144, 1965, 30-34

TOPIC TAGS: electric conductivity, thermal emf, semiconductor alloy, impurity conductivity, activation energy, *electric property*

ABSTRACT: The authors investigated the electric conductivity and thermal emf of  $\beta$ -loeboite, which exhibits semiconductor properties. A study was also made of the influence of certain impurities on the electric properties of  $\beta$ -loeboite. It is found that the activation energy of the impurity conductivity is  $\sim 0.28$  ev for all samples. The thermal emf remains negative in the entire interval of temperatures and compositions. [Translation of abstract].

SUB CODE: 20

Card 1/1 *LC*



GOL'DBERG, KH. I., CAND TECH SCI, ELECTRICAL PROPERTIES  
OF IRON AND SILICON ALLOYS CONTAINING LEBOIT[?]. STALINSK,  
1960. (MIN OF HIGHER AND SEC SPEC ED RSFSR. SIBERIAN ME-  
TALURG INST IN S. ORDZHONIKIDZE). (KL, 2-61, 207).

APPROVED FOR RELEASE: Thursday, September 26, 2002 • CIA-RDP86-00515R000515620002-0  
APPROVED FOR RELEASE: Thursday, September 26, 2002 • CIA-RDP86-00515R000515620002-0

PROCESSES AND PARTICLES 4 11  
Packing sodium hydroxide in cylindrical drums F. M.  
Goldberg. Russ. 31,800, Oct. 31, 1933. Disks are  
inserted in the drums at certain intervals. The melted  
NaOH is poured into the drum and is sepd. into cakes by  
the disk partitions.

ASB S L A METALLURGICAL LITERATURE CLASSIFICATION

ESCH. 174 REATH

547 380 42 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100

CA

18

Sodium hydrosulfide and barium chloride K. M.  
Goldberg. Russ. 40,996, Jan. 31, 1935. BaS is treated  
with a soln. of  $\text{NaHCO}_3$ , the ppt. of  $\text{BaCO}_3$  is sepd. and  
treated with HCl, and the soln. containing  $\text{NaHS}$  is evapd.

CR

7

Chlorinated ore roasts K. M. Waldberg, *Iskus.*  
*Khem. Zaur. II, Khim. tekhn. 71, 387-91 (1975). Sub-*  
*97.3% NaCl was mixed with pyrites concg. 41% S,*  
*0.5% Zn and 10.0% C, and with ore roast concg. Zn*  
*10.44, S 2.46, Pb 1.76, Cu 1.10, Mn 0.50, Fe 20.54,*  
*Al<sub>2</sub>O<sub>3</sub> 8.52, CaO 0.82, C 29.43, insol. residue 25%, and a*  
*trace of MgO. The mixt. was ground to pass a 60-mesh*  
*sieve, and heated at 400° for 3-6 hrs. in an elec. oven. The*  
*yield was 73.5% for Zn and Cu and 90% for Pb. Addn.*  
*of weak tower acid will give 80% Cu and Zn. A second*  
*treatment should give 95% Zn and 100% Cu and Pb.*  
B. Z. Kana h

ALL INFORMATION CONTAINED HEREIN IS UNCLASSIFIED

DATE 10-1-80 BY 1045

CP

Intensification of the process of obtaining copper sulfate  
K. M. Goldberg, *J. Chem. Ind. (Moscow)* 13, 357 (1955)  
Addn. of 5% of  $H_2SO_4$  to a  $CuSO_4$  soln. before  
crystn. gives a 60-70% greater yield of crystals  
H. M. Leicester

AMERICAN METALLURGICAL LITERATURE ASSOCIATION

1955-1956

VOLUME 10

1955-1956

1955-1956

1955-1956

1955-1956

1955-1956

1955-1956

1955-1956

1955-1956

1955-1956

1955-1956

1955-1956

1955-1956

1955-1956

1955-1956

1955-1956

1955-1956

1955-1956

1955-1956

1955-1956

1955-1956

1955-1956

1955-1956

1955-1956

1955-1956

1955-1956

1955-1956

1955-1956

1955-1956

1955-1956

1955-1956

1955-1956

1955-1956

1955-1956

1955-1956

1955-1956

1955-1956

1955-1956

1955-1956

1955-1956

1955-1956

1955-1956

1955-1956

1955-1956

1955-1956

1955-1956

1955-1956

1955-1956

1955-1956

1955-1956

1955-1956

1955-1956

1955-1956

1955-1956

1955-1956

1955-1956

1955-1956

1955-1956

1955-1956

1955-1956

1955-1956

1955-1956

1955-1956

1955-1956

1955-1956

1955-1956

1955-1956

1955-1956

1955-1956

1955-1956

1955-1956

1955-1956

1955-1956

1955-1956

1955-1956

1955-1956

1955-1956

1955-1956

1955-1956

16

Obtaining barium chloride from baryta, with partial replacement of hydrochloric acid by common salt. K. M. Goldberg. *J. Chem. Ind. U. S. S. R.* 13, 1113 (1960). Half the  $\text{BaS}$  in the melt is extd. with an aq.  $\text{HCl}$  soln. from the previous treatment and the soln. is acidified with  $\text{H}_2\text{SO}_4$ . The  $\text{BaSO}_4$  is treated with  $\text{NaCl}$  and  $\text{BaCl}_2$  is salted out. The remaining  $\text{BaS}$  in the melt is treated with  $\text{HCl}$  and the  $\text{BaCl}_2$  obtained by evapn. the soln. Residual  $\text{Ba}$  in the soln. is pptd. as  $\text{BaCO}_3$  or  $\text{BaSO}_4$ . H. M. Leicester.

17

ASB 35A METALLURGICAL LITERATURE CLASSIFICATION

12a

Obtaining barium chloride from baryta, with full or partial elimination of evaporation of the solution. K. M. Goldberg, *J. Chem. Ind. (London)*, 1954, 1294. 15000(1955). HCl, 18.6%, is added slowly to a boiling soln. of BaCl<sub>2</sub>, and the mixt. is cooled. The precipitate of the BaCl<sub>2</sub> in the soln. When NaCl is used to salt out the mother liquors, the recovery is raised to 95%. The method can be applied on a factory scale. H. M. I.

ASB 514 METALLURGICAL LITERATURE CLASSIFICATION

PROCEDURES AND PROPERTIES INDEX

18

CA

Preparation of manganese sulfate from pyrolusite. K.  
Goldberg. *Org. Chem. Ind. (U.S.S.R.)* 4: 524 (1957).  
The method is based on the reaction:  $MnO_2 + 2H_2SO_4 \rightarrow$   
 $MnSO_4 + 2H_2O$ .  $MnSO_4 \cdot xH_2O$  is obtained. Pyrolusite  
is stirred with cold water and the suspension  
is treated with excess  $H_2SO_4$ . The  $MnSO_4$  is decomposed  
by injecting steam and the solution is treated  
with 50% excess  $CaCl_2$  to oxidize any  $FeSO_4$  and  
 $FeSO_4$  is then precipitated with an equivalent of  $Na_2CO_3$  and  
filtered. The  $MnSO_4$  solution is concentrated and used in the  
preparation of enamels for enamel paints. Chas. Blatt.

ASSOCIATED METALLURGICAL LITERATURE CLASSIFICATION

MINERAL SYNOPTIC

MINERAL SYNOPTIC

MINERAL SYNOPTIC

MINERAL SYNOPTIC

MINERAL SYNOPTIC

MINERAL SYNOPTIC

MINERAL SYNOPTIC

MINERAL SYNOPTIC

MINERAL SYNOPTIC

MINERAL SYNOPTIC

MINERAL SYNOPTIC

MINERAL SYNOPTIC

MINERAL SYNOPTIC

MINERAL SYNOPTIC

MINERAL SYNOPTIC

MINERAL SYNOPTIC

MINERAL SYNOPTIC

MINERAL SYNOPTIC

MINERAL SYNOPTIC

MINERAL SYNOPTIC

MINERAL SYNOPTIC

MINERAL SYNOPTIC

MINERAL SYNOPTIC

MINERAL SYNOPTIC

MINERAL SYNOPTIC

MINERAL SYNOPTIC

MINERAL SYNOPTIC

MINERAL SYNOPTIC

MINERAL SYNOPTIC

MINERAL SYNOPTIC

MINERAL SYNOPTIC

MINERAL SYNOPTIC

MINERAL SYNOPTIC

MINERAL SYNOPTIC

MINERAL SYNOPTIC

MINERAL SYNOPTIC

MINERAL SYNOPTIC

MINERAL SYNOPTIC

MINERAL SYNOPTIC

MINERAL SYNOPTIC

MINERAL SYNOPTIC

MINERAL SYNOPTIC

MINERAL SYNOPTIC

MINERAL SYNOPTIC

MINERAL SYNOPTIC

MINERAL SYNOPTIC

MINERAL SYNOPTIC

MINERAL SYNOPTIC

MINERAL SYNOPTIC

MINERAL SYNOPTIC

MINERAL SYNOPTIC

MINERAL SYNOPTIC

MINERAL SYNOPTIC

MINERAL SYNOPTIC

MINERAL SYNOPTIC

MINERAL SYNOPTIC

MINERAL SYNOPTIC

MINERAL SYNOPTIC

MINERAL SYNOPTIC

MINERAL SYNOPTIC

MINERAL SYNOPTIC

MINERAL SYNOPTIC

MINERAL SYNOPTIC

MINERAL SYNOPTIC

MINERAL SYNOPTIC

MINERAL SYNOPTIC

MINERAL SYNOPTIC

MINERAL SYNOPTIC



22. 2000 25.

She also remarks during the oxidation of alcohols that the

(Oils : oxidation)

mauer

C.A. V-18  
Jan 10, 1954  
Paints, Varnishes,  
Lacquers, etc.  
Lubric

The changes in some of the paint properties of oils resulting from the oxidation by air, or thermothickening. II: N. Tyutyunnikov and K. M. Gol'dberg (Polytech. Inst., Kharkov). *Maslobolno-Zhirschaya Prom.* 18, No. 7, 22-3 (1953).—This has been investigated in regard to the wetting properties and the rates of drying (at  $20 \pm 1^\circ$ , and the relative humidity of air 48) of blown (I) and stand (II) oils which were prepd. from the sunflower seed and linseed oils at different temps. The temp. used ranged from 100 to 300° for I, and from 250 to 300° for II. The gain in the wetting ability of oils varied with the temp. of processing and ranged from 9 to 30% for I, and was up to 36% for II. Within the temp. range from 100 to 200°, the sample of I processed at 100° gained more than the others in this series (17 and 20% for the sunflower and linseed oils, resp.); at 300° I gained 29-30%. Likewise, I and II dried faster than the untreated oil. However, within the temp. range from 150 to 250°, the rate of drying varied inversely with the temp. of processing and the final viscosity of I. The time of drying was reduced to the min. when I was processed at 100°. Drying of II was affected but slightly by the temp. of processing and the viscosity of the oil. Generally, II dried at much faster rate than any other exptl. sample. Vladimir N. Krukovsky

AF  
3-2-54

001

11/10/1964: "The Role of the People's Republic of China in the Development of the Communist Party of China in the United States," by [Name], [Address], [City], [State], [Zip].

11/10/1964, [Name], [Address], [City], [State], [Zip].

BELEN'KIY, Ye.F. [deceased]; RISKIN, I.V.; YUKHNOVSKIY, G.L., prof.,  
retsensent; RATNIKOVA, K.I., dotsent, retsensent; GOL'DBERG,  
K.M., kand.tekhn.nauk, retsensent; IZYUMOV, V.N., inzh.,  
retsensent; AYZENBERG, Ye.S., red.; FOMKINA, T.A., tekhn.red.

[Chemistry and technology of pigments] Khimii i tekhnologii  
pigmentov. Izd.3., ispr. i dop. Leningrad, Gos.nauchno-tekhn.  
izd-vo khim.lit-ry, 1960. 756 p. (MIRA 14:4)

1. Zaveduyushchiy kafedroy lakov i krasok Khar'kovskogo poli-  
tekhnicheskogo instituta (for Yukhnovskiy). 2. Kafedra lakov i  
krasok Khar'kovskogo politekhnicheskogo instituta (for Ratnikova).  
(Pigments)

Z/011/61/018/001/000/014  
E112/E453

AUTHORS Goldberg K M Gelfandbein N K Falkovich M M  
TITLE Automatic control of alcoholysis during alkyl resin  
production  
PERIODICAL Chemie a chemika' tekhnologii 1961 Vol.18 No.1 p.32  
abstract CH 61 442 (Lakokras Materialy 1960  
No.1 pp 75-78)

TEXT An apparatus is described which registers changes in  
electrical conductivity of the reaction mixture and determines from  
the change of resistance the equilibrium reached in the system.  
vegetable oil polyvalent alcohol. The apparatus permits to  
determine optimum times for the duration of the alcoholysis.  
Side reactions can thus be minimized and an alkylated product of  
standard quality can be obtained.  
1 sketch 4 diagrams, 3 tables 8 literature references.

[Abstracter's note: Complete translation.]

GOL'DBERG, K.M.

Manufacture of alkyd resins according to a new flow chart sheet.  
Lakokras.mat.1 ikh prim. no.3:76-77 '60. (MIRA 14:4)

1. Khar'kovskiy lakokrasochnyy zavod "Krasnyy khimik".  
(Alkyd resins)

GOL'DBERG, K.M.; GEL'FANDEYN, N.M.; TVERSKAYA, B.I.

Use of indene-coumarone resins in the manufacturing of oil-  
extended resin lacquers. Lakokras.mat.i ikh prim. no.1:71-72  
'61. (MIRA 14:4)

1. Khar'kovskiy lakokrasochnyy zavod "Krasnyy khimik".  
(Indene) (Resins, Synthetic)  
(Lacquers and lacquering)

GOL'DBERG, K.M.; GEL'FANDEYN, N.M.; Prinimali uchastiye: BARI'OTI,  
A.S.; KAPUSTINA, A.I.; LINKOVA, L.M.; STRUKOVA, V.A.; SERKOVA,  
L.V.; FRADKINA, TS.Ye.

Anticorrosive alkyd GF-020 priming. Lakokras.mat.i ikh prim.  
no.2:71-74 '62. (MIRA 15:5)

1. Khar'kovskiy lakokrasochnyy zavod "Krasnyy khimik".  
(Protective coatings)



MAZUREV, Vasily Petrovich; TITIJEV, Gennadiy Andreyevich;  
FILATOV, Mikhail Nikolayevich; SAFCHEN, Mikhail Gennonovich;  
GOL'DBERG, Leonid Abramovich; KAUT'KO, Mariya Vladimirovna;  
NECHAYEV, Vadim Ivarovich; KULCHAI OV, Vitaliy Dmitriyevich;  
BESSONOV, Yevgeniy Aleksandrovich; GBLCHNIKOV, Ivan Yefimovich;  
KORABLEV, A.A., otr. red.; ABRAMOV, V.I., red. izd-va;  
PROZOROVSKAYA, V.L., tekhn. red.

[Automation in the coal mining industry: Avtomatizatsiya v  
upravlenii i razrabotke. (p) V.I. Kurav'ev i dr. Moskva,  
Gosgortekhnizdat, 1962. 258 p. (MIRA 15:10)  
(Coal mines and mining) (Automation)]

SECRET, ...

... ..  
... ..

... ..  
... ..

GOL'DBERG, Lev Isaakevich

[Native alloy cast iron is an industrial] Prirodnolegirovannyyi chugun - rezerv promyshlennosti. Moskva, Izdatvo Metallurgiya, 1964. 110 p. (MIRA 17:6)

VAYSFEL'D, D.N.; GOL'DBERG, L.I.; ISHCHENKO, O.I.

Clinical course of a Q-fever outbreak in one of the districts of  
Chelyabinsk Province. Sov.med. 21 no.11:127-130 E '57. (MIRA 11:3)

1. Iz uzlovoy bol'nitsy stantsii Magnitogorsk Yuzhno-ural'skoy  
zheleznoy dorogi (nach. A.M.Plotnik) i 1-y gorodskoy bol'nitsy  
Magnitogorska (glavnyy vrach-zasluzhennyy vrach RSFSR G.I.Drobyshev).

(Q FEVER, case reports  
rare clin. course)

USSR/Virology - Viruses of Man and Animals.  
Viruses of Hepatitis.

E

Abs Jour : Ref Zhur Biol., No 6, 1959, 23861

Author : Gold'berg, L.I.

Inst : -----

Title : Some Problems of Laboratory Diagnosis of Epidemic  
Hepatitis.

Orig Pub : Zh. mikrobiol., epidemiol. i immunobiol., 1958, No 1,  
15-19

Abstract : Of 121 serums, obtained from patients with epidemic  
hepatitis, 85 gave a positive AVB reaction. Of 52 se-  
rums, obtained from individuals with other diseases, 44  
gave negative results. Under culture on Martin's  
bouillon of 64 blood samples obtained from patients with  
hepatitis infected 24 hours previously with *Sarcina lutea*,  
growth of a micrococcus was discovered in 26 cases.  
Of 25 cultures of blood of other patients and of healthy

Card 1/2

USSR/Virology - Viruses of Man and Animals. Viruses of Hepatitis. E

Abs Jour : Ref Zhur Biol., No 6, 1959, 23861

individuals, the indicated microbe was discovered in one case, from a patient with cholecystitis. The author feels that the data obtained are specific and are usable for diagnosis of hepatitis. -- N.S. Klyachko

Card 2/2

VOROB'YEVSKAYA, R.I.; GOL'DBERG, L.I.

Pathogenesis of ovalocytosis. Sov.med. 23 no.8:98-100 Aug '59.  
(MIRA 12:12)

1. Iz 1-y gorodskoy bol'nitsy (glavnyy vrach - zasluzhennyy vrach  
RSFSR G.I. Drobyshch) g. Magnitogorska.  
(ERYTHROCYTES)

KOTEL'NIKOV, F.S.; GOL'DBERG, L.I.

Microflora of the conjunctival sack and its resistance to anti-  
biotics. Vest.oft. no.4:72-74 '81. (MIRA 14:11)

1. Glazovye otdeleniye Magnitogorskoy l-y gorodskoy bol'nitsy.  
(CONJUNCTIVA---MICROBIOLOGY) (ANTIBIOTICS)



GOL'DBERG, L.I.; VOROB'YEVSKAYA, R.I.

Diagnostic and prognostic significance of the thymol test in epidemic hepatitis. Kaz. med. zhur. no.6:17-18 N-D '61. (MIRA 15:2)

1. 1-ya gorodskaya bol'nitsa g.Magnitogorska (glavnyy vrach - G.I.Drobyshev).  
(HEPATITIS, INFECTIONS) (THYMOL)

GOL'DBERG, L.I.

Modification of the electrical potential of the erythrocytes in  
epidemic hepatitis. Vop.virus. 6 no.2:207-209 Mr-Apr '61.  
(MIRA 14:6)

1. 1-ya Gorodskaya bol'nitsa, Magnitogorsk.  
(ERYTHROCYTES) (HEPATITIS, INFECTIOUS)  
(ELECTROPHYSIOLOGY)

GOL'DBERG, L.I.

Reproduction of infectious hepatitis in guinea pigs. Vop.virus.  
7 no.6:743 N-D '62. (MIRA 16:4)

1. Magnitogorskaya oblastnaya bol'nitsa No.3.  
(HEPATITIS, INFECTIOUS)

GOL'DBERG, L.I.

Diagnostic value of the iodine test. Lab.delo 8 [i.e.9] no.1:  
22-23 Ja '63. (MIRA 16:5)

1. Pervaya oblastnaya bol'nitsa (glavnyy vrach G.I.Drobyshev),  
Magnitogorsk.

(IODINE ) (BLOOD--ANALYSIS AND CHEMISTRY)  
(DIAGNOSIS, DIFFERENTIAL)